













OUTDOOR

Ligman by Secondway

	EN	FR	ES	
	Underwater luminaires	<i>Immergeables</i>	<i>Luminarias subacuáticas</i>	39
	In-ground luminaires	<i>Encastrés de sol</i>	<i>Luminarias de suelo</i>	41
	Recessed luminaires	<i>Encastrés muraux</i>	<i>Luminarias empotrables</i>	43
	Surface facade luminaires	<i>Appliques murales</i>	<i>Luminarias de superficie</i>	45
	Ceiling luminaires	<i>Plafonniers et encastrés</i>	<i>Luminarias de cielo raso</i>	53
	High bay luminaires	<i>Luminaires industriels</i>	<i>Luminarias de baja altura</i>	55
	Pendant luminaires	<i>Suspensions</i>	<i>Luminarias colgantes</i>	57
	Bollards	<i>Bornes</i>	<i>Bolardos</i>	59
	Floodlights, projectors and column projectors	<i>Projecteurs et Projecteurs sur mât</i>	<i>Proyectores proyectores y proyectores de columna</i>	67
	GOBO projectors	<i>Projecteurs Gobo</i>	<i>Proyector GOBO</i>	73
	Light columns	<i>Colonnes lumineuses</i>	<i>Luminarias de columnas ligeras</i>	75
	Post top luminaires	<i>Têtes de mât</i>	<i>Luminarias de Punta de Poste</i>	78
	Street & area lighting luminaires	<i>Eclairages routiers</i>	<i>Luminarias de alumbrado público</i>	83
	Solar integrated luminaires	<i>Luminaires solaires intégrés</i>	<i>Luminarias solares integradas</i>	88
	Pole	<i>Pole</i>	<i>Postes</i>	91
	Continuous LED Solutions	<i>Solutions LED en continu</i>	<i>Soluciones LED continuas</i>	95

INDOOR

Ligman by Secondway

EN	FR	ES	
Luminaire for track	<i>Luminaire pour rail</i>	<i>Luminarias para carril</i>	97
Tracks	<i>Rail</i>	<i>Senda</i>	98
Surface ceiling luminaires	<i>Plafonniers</i>	<i>Luminarias de cielo raso</i>	100
Surface wall luminaires	<i>Appliques murales</i>	<i>Luminarias de superficie de pared</i>	102
Pendant luminaires	<i>Suspensions</i>	<i>Luminarias colgantes</i>	104
Recessed ceiling luminaires	<i>Luminaire encastrés</i>	<i>Luminarias empotrables en cielo raso</i>	107
Recessed downlights	<i>Downlights encastrés</i>	<i>Downlights empotrados</i>	110
Modular multiple recessed directional downlights	<i>Downlights directionnels encastrés multiples modulaires</i>	<i>Downlights direccionales empotrables múltiples Modular</i>	113
Continuous LED solutions	<i>Solutions LED en continu</i>	<i>Soluciones LED continuas</i>	115



SOUTH BROOKS - DESAPARK CONDOMINIUM

Kuala Lumpur, Malaysia

AQUA


Recessed underwater projectors



ANNET




Power: 7 - 11 W
Lumen: 506 - 1726 lm




AQUA




Power: 12 - 27 W
Lumen: 884 - 3236 lm



BORNHOLM





Power: 4 - 39 W
Lumen: 170 - 4416 lm



FUNEN




Power: 4 - 39 W
Lumen: 170 - 4416 lm



JANET




Power: 7 - 11 W
Lumen: 506 - 1726 lm



NEMO




Power: 12 - 27 W
Lumen: 884 - 2937 lm



OREGON



Power: 2 - 5 W
Lumen: 191 - 224 lm



COLAC POLICE
Melbourne, Australia



LIGHTALK


In-ground luminaires



HARRIER



Power: 6 - 29 W
Lumen: 163 - 2899 lm




KIOS



Power: 6 - 33 W
Lumen: 89 - 3320 lm


 RGBW




LIGHTTALK



Power: 16 - 70 W
Lumen: 510 - 10880 lm

 RGBW



MASK




Power: 4 - 15 W
Lumen: 104 - 433 lm




NEVADA



Power: 2 - 5 W
Lumen: 191 - 336 lm

 RGBW



PETRA



Power: 7.5 W
Lumen: 369 - 455 lm



Recessed luminaires


VIOS




KNIGHTS BRIDGE PRIME
Bangkok, Thailand

© The Metropolis

ECO



Power: 23 W
Lumen: 713 - 769 lm




LBX




Power: 2 - 4 W
Lumen: 39 lm




LEGEND





Power: 12 - 14 W
Lumen: 56 - 1401 lm




LIGHTTALK




Power: 16 - 70 W
Lumen: 510 - 5703 lm




RADO



Power: 4 - 38 W
Lumen: 124 - 2192 lm



VIOS



Power: 5 W
Lumen: 40 - 225 lm



BODDENKAMP RESIDENTIAL AREA

Enschede, Netherlands

Surface facade luminaires


MATRIX



ABACUS





Power: 7 - 11 W
Lumen: 310 - 783 lm



ALDO




Power: 6 - 76 W
Lumen: 226 - 9224 lm




ATLANTIC



Power: 29 - 41 W
Lumen: 1082 - 3174 lm



AUGUSTA




Power: 9 - 19 W
Lumen: 371 - 1328 lm



AURORA




Power: 4 - 12 W
Lumen: 102 - 177 lm



AUSTIN




Power: 37 - 53 W
Lumen: 4454 - 7178 lm




SURFACE FACADE LUMINAIRES


BAMBOO



Power: 14 W
Lumen: 307 - 480 lm




CAPSULE



Power: 15 - 16 W
Lumen: 631 - 1597 lm


Tunable white



CINATI




Power: 18 - 21 W
Lumen: 1403 - 2309 lm



FORREY




Power: 48 - 70 W
Lumen: 3046 - 8415 lm



GANDALF




Power: 37 - 89 W
Lumen: 3879 - 11717 lm




GINI




Power: 18 - 100 W
Lumen: 1121 - 7940 lm



GINO




Power: 2 - 19 W
Lumen: 3 - 3568 lm



HAMILTON



Power: 53 - 75 W
Lumen: 6126 - 9862 lm



ITAC




Power: 19 - 20 W
Lumen: 1596 - 1839 lm
Tunable white



JET




Power: 8 - 70 W
Lumen: 254 - 8188 lm
RGBW



KWH




Power: 19 - 57 W
Lumen: 2140 - 7778 lm





SURFACE FACADE LUMINAIRES

LADOR




Power: 3 - 35 W
Lumen: 166 - 4110 lm

LEEDS




Power: 8 - 39 W
Lumen: 576 - 4844 lm



LEEDS WEDGE




Power: 8 - 20 W
Lumen: 565 - 2422 lm



LIGHT LINEAR PT





Power: 28 - 54 W
Lumen: 2932 - 6193 lm



LIGHT TALK



Power: 16 - 70 W
Lumen: 510 - 5703 lm

LIGHTSOFT



Power: 14 W
Lumen: 329 - 447 lm



LIGHWAVE



Power: 20 W
Lumen: 260 - 285 lm




NEW

LISSE




Power: 3.4 W
Lumen: 48 - 97 lm

RGBW
Dynamic programming



MALTA



Power: 9 - 15 W
Lumen: 303 - 376 lm


RGBW



MAR




Power: 38 - 54 W
Lumen: 4260 - 6666 lm



MARTINI




Power: 38 - 54 W
Lumen: 4260 - 6666 lm




MARVIK




Power: 10 - 53 W
Lumen: 890 - 5510 lm



MATRIX




Power: 5 - 35 W
Lumen: 79 - 2256 lm




MUSTANG



Power: 38 - 54 W
Lumen: 4260 - 6666 lm



PALETTA




Power: 15 - 28 W
Lumen: 1433 - 2486 lm



PATCHI




Power: 6 - 13 W
Lumen: 21 - 388 lm




NEW

PITTSBURGH




Power: 38 - 240 W
Lumen: 1981 - 33053 lm




QUARTER





Power: 37 - 53 W
Lumen: 4454 - 7178 lm



SANDY




Power: 19 - 28 W
Lumen: 836 - 2478 lm



STEAMER




Power: 105 - 209 W
Lumen: 12434 - 28297 lm



TANGO




Power: 29 - 72 W
Lumen: 2535 - 7910 lm



TRIANGLE



Power: 38 - 54 W
Lumen: 4260 - 6666 lm



VANCOUVER




Power: 8 - 40 W
Lumen: 327 - 2781 lm



VEKTER



Power: 20 - 54 W
Lumen: 2148 - 6954 lm



YAWA AQUATIC CENTRE
Melbourne, Victoria, Australia

ROBUST


Recessed exterior downlights



JET




Power: 8 - 35 W
Lumen: 254 - 4094 lm



LADOR




Power: 3 - 35 W
Lumen: 209 - 4110 lm



MONDOVA




Power: 21 - 41 W
Lumen: 1726 - 3625 lm



NIKON




Power: 8 - 39 W
Lumen: 369 - 4303 lm



ODESSA




Power: 11 - 70 W
Lumen: 694 - 8038 lm



ROBUST




Power: 29 - 42 W
Lumen: 2535 - 3910 lm



TANGO



Power: 29 - 42 W
Lumen: 2535 - 3910 lm





POWERVISION

Surface mounted high bay luminaires

**TSUNG TSIN CHRISTIAN ACADEMY
BASKETBALL COURT**

Hong Kong




MUSTANG


microVos™



Power: 38 - 54 W
Lumen: 4260 - 6666 lm



Power: 38 - 54 W
Lumen: 4260 - 6666 lm




POWERSHIELD



microVos™
FULL SPECTRUM




Power: 27 - 106 W
Lumen: 3052 - 13310 lm



Power: 27 - 210 W
Lumen: 3052 - 26620 lm



Power: 38 - 106 W
Lumen: 4272 - 13310 lm



HENNESSY COGNACS - DISTILLERIE DU PEU

Juillac-le-Coq, Charente, France

JET

Pendant luminaires




ATLANTIC




Power: 41 W
Lumen: 2449 - 2632 lm



FORREY




Power: 48 - 70 W
Lumen: 3046 - 8415 lm



JET




Power: 8 - 35 W
Lumen: 254 - 4094 lm



LIGHTTALK




Power: 16 - 70 W
Lumen: 510 - 5703 lm



MACARON



Power: 104 W
Lumen: 12434 - 14374 lm



ANGLICARE AGED CARE MINTO GARDENS

Sydney, New South Wales, Australia

LIGHTSOFT


Bollards



ABACUS




Power: 11 - 22 W
Lumen: 765 - 3132 lm




ATLANTIC




Power: 41 W
Lumen: 1275 - 1602 lm




AUGUSTA




Power: 9 - 19 W
Lumen: 370 - 1328 lm



BAMBOO




Power: 15 W
Lumen: 355 - 480 lm



BENTON



Power: 20 - 27 W
Lumen: 955 - 1642 lm



BENTON




Power: 13 - 21 W
Lumen: 608 - 1439 lm



COLUMBUS




Power: 41 W
Lumen: 983 - 995 lm




CONCORD



Power: 41 W
Lumen: 922 - 927 lm



DUOMO




Power: 41 W
Lumen: 385 - 742 lm




ECO




Power: 23 W
Lumen: 713 - 769 lm



FORREY



Power: 48 - 50 W
Lumen: 3126 - 4780 lm



FRAME




Power: 36 - 41 W
Lumen: 425 - 479 lm
RGBW




FREETOWN




Power: 11 - 22 W
Lumen: 648 - 2728 lm



JET




Power: 14 - 38 W
Lumen: 953 - 4270 lm



LBX




Power: 14 - 27 W
Lumen: 423 - 1553 lm



LIGHT LINEAR PT




Power: 28 - 108 W
Lumen: 2950 - 12386 lm



LIGHT LINEAR VT




Power: 27 - 104 W
Lumen: 2052 - 10574 lm



LIGHTSOFT




Power: 14 - 39 W
Lumen: 329 - 2268 lm



LIGHTWAVE



Power: 27 W
Lumen: 448 - 475 lm



LIGHTZONE




Power: 39 W
Lumen: 2754 - 2814 lm



MACARON




Power: 22 - 46 W
Lumen: 2050 - 5021 lm



MARVEL




Power: 9 - 33 W
Lumen: 430 - 1793 lm



MUSHROOM




Power: 14 W
Lumen: 499 - 618 lm



PRAGUE



Power: 8 - 20 W
Lumen: 568 - 2422 lm



RADO



Power: 4 - 27 W
Lumen: 124 - 853 lm




G

SMITH



Power: 28 - 38 W
Lumen: 3586 - 4234 lm



G

TAURAS




Power: 41 W
Lumen: 756 - 974 lm




G

VANCOUVER




Power: 7 - 21 W
Lumen: 90 - 1571 lm



G




VANCOUVER




Power: 8 - 21 W
Lumen: 155 - 1362 lm



VEKTER




Power: 20 - 56 W
Lumen: 2148 - 6660 lm



VERANDA



Power: 16 - 30 W
Lumen: 317 - 1605 lm



JOHN GORTON BUILDING
Canberra, New South Wales, Australia



QUANTUM

Floodlights, projectors





GANDALF

microVos™



Power: 37 - 92 W
Lumen: 1794 - 10372 lm




KWH

microVos™



Power: 37 - 186 W
Lumen: 2201 - 23656 lm





LADOR





NOT AVAILABLE
IN EU




Power: 3 - 35 W
Lumen: 166 - 4110 lm



Power: 3 - 35 W
Lumen: 166 - 4110 lm





Power: 3 - 35 W
Lumen: 166 - 4110 lm



LADOR





Power: 84 - 140 W
Lumen: 3412 - 16440 lm



MIC





Power: 33 - 51 W
Lumen: 1130 - 6140 lm



NORDSTROM





Power: 3 - 35 W
Lumen: 166 - 4110





ODESSA



Power: 11 - 70 W
Lumen: 694 - 8038 lm




Power: 11 - 70 W
Lumen: 694 - 8038 lm




ODESSA




Power: 11 - 35 W
Lumen: 694 - 3545 lm




Power: 33 - 105 W
Lumen: 2082 - 10635 lm





Power: 33 - 420 W
Lumen: 2082 - 48228 lm

 RGBW




Power: 108 - 280 W
Lumen: 4768 - 32152 lm

 RGBW




Power: 108 - 280 W
Lumen: 6816 - 32152 lm



PARAGON





Power: 39 W
Lumen: 2735 - 3494 lm



NEW
PITTSBURGH



Power: 38 - 240 W
Lumen: 1981 - 33053 lm




QUANTUM

microVos™




Power: 30 - 269 W
Lumen: 1113 - 27436 lm



QUANTUM





Power: 96 - 228 W
Lumen: 1113 - 27192 lm



UTAH





Power: 2 - 8 W
Lumen: 191 - 486 lm




ZAAB



Power: 20 - 40 W
Lumen: 1875 - 5013 lm




Power: 120 - 240 W
Lumen: 12582 - 30078 lm



ZEAT



Power: 11 - 14 W
Lumen: 644 - 1274 lm







ODESSA



Power: 37 W
Lumen: 93 - 249 lm




Power: 37 W
Lumen: 93 - 249 lm



QUANTUM



Power: 44 W
Lumen: 2376 - 2508 lm



VANCOUVER

Light columns




OREGON COAST AQUARIUM
Newport, Oregon, USA

© Joey Johncola

ARIZONA




Power: 28 - 114 W
Lumen: 1707 - 12795 lm




BENTON




Power: 20 - 103 W
Lumen: 955 - 7815 lm



L-COLUMN



Power: 54 - 70 W
Lumen: 4654 - 7832 lm




NEW

MARVEL



Power: 9 - 33 W
Lumen: 980 - 3565 lm



SMITH




Power: 54 - 76 W
Lumen: 7027 - 8468 lm



TAURAS




Power: 41 W
Lumen: 1082 - 1096 lm



VANCOUVER



Power: 20 - 165 W
Lumen: 675 - 7845 lm



GARDEN BY THE BAY

Singapore

MACARON

Post top luminaires


**Active
Garden**




ABERDEEN



Power: 45 - 61 W
Lumen: 5627 - 7996 lm




ANDERSON




Power: 41 - 82 W
Lumen: 2801 - 5273 lm



ANESTI



Power: 41 - 56 W
Lumen: 956 - 5077 lm



NEW

ARGENTINA




Power: 105 - 190 W
Lumen: 7750 - 15000 lm



ARIZONA



Power: 28 - 37 W
Lumen: 1707 - 3657 lm




ATLANTIC




Power: 29 - 41 W
Lumen: 1082 - 2632 lm




FORREY




Power: 48 - 70 W
Lumen: 3046 - 8415 lm



JET



Power: 35 - 70 W
Lumen: 3475 - 8188 lm




KWH

microVos™



Power: 19 - 57 W
Lumen: 2140 - 7778 lm



LALUNA



Power: 41 - 55 W
Lumen: 2243 - 4404 lm




MACARON

microVos™   




Power: 22 - 158 W
Lumen: 2050 - 16659 lm



QBA




Power: 41 W
Lumen: 2081 - 2107 lm



QUARTER




Power: 37 - 106 W
Lumen: 4454 - 14356 lm



SANTANDER



Power: 28 - 126 W
Lumen: 2103 - 13665 lm



SYNDY




Power: 40 - 55 W
Lumen: 1986 - 3269 lm



TANGO



Power: 35 - 76 W
Lumen: 3476 - 8530 lm



ST MARY'S BUS INTERCHANGE

Sydney, New South Wales, Australia

Street & area lighting luminaires

STEAMER



AUBAINE

microVos™



Power: 54 - 108 W
Lumen: 5501 - 12386 lm




BILLUND

microVos™ NATURE FR FRIENDLY idia




Power: 25 - 275 W
Lumen: 1990 - 41464 lm




GANDALF

microVos™ idia



Power: 37 - 184 W
Lumen: 4533 - 23434 lm




HAMILTON

microVos™ NATURE FR FRIENDLY




Power: 53 - 150 W
Lumen: 6126 - 19724 lm



LIGHT LINEAR DENVER



Power: 54 - 465 W
Lumen: 5501 - 50673 lm



LIGHT LINEAR PT




Power: 28 - 310 W
Lumen: 2950 - 33782 lm



LIGHT LINEAR PT-X




Power: 104 - 544 W
Lumen: 12797 - 61176 lm



LIGHT LINEAR VT




Power: 56 - 155 W
Lumen: 3237 - 12645 lm



MAR




Power: 38 - 108 W
Lumen: 4260 - 13332 lm



MARTINI




Power: 38 - 108 W
Lumen: 4260 - 13332 lm



MUSTANG



Power: 38 - 108 W
Lumen: 3351 - 11030 lm



POWER MISSION





Power: 13 - 53 W
Lumen: 1493 - 6503 lm



QUANTUM




Power: 76 - 164 W
Lumen: 2900 - 17484 lm



STEAMER




Power: 105 - 209 W
Lumen: 12434 - 28297 lm



TRIANGLE




Power: 38 - 108 W
Lumen: 4260 - 13332 lm



VEKTER



Power: 20 - 216 W
Lumen: 2148 - 27816 lm



Solar integrated bollards

PRAGUE




AUGUSTA



Power: 2 - 6 W
Lumen: 114 - 360 lm



NEW
DURHAM




Power: 5 W
Lumen: 34 lm



LIGHTSOFT




Power: 2 - 6 W
Lumen: 176 - 528 lm



PRAGUE





Power: 2 - 6 W
Lumen: 198 - 723 lm



NATURE SOURCE



Power: 10 - 40 W
Lumen: 1273 - 4889 lm



Luminaires made to order for Vertical solar PV poles



STEAMER



NEWLANDS PARK
Wellington, New Zealand



**VERTICAL
SOLAR PV POLES:
POST TOP LUMINAIRES**


Power: 20 - 40 W
Lumen: 1704 - 5719 lm




**VERTICAL
SOLAR PV POLES:
STREET & AREA LUMINAIRES**

Power: 20 - 60 W
Lumen: 2295 - 10821 lm







Cylindrical, straight aluminium lighting poles




Cylindrical, straight aluminium lighting poles with illuminated decorative graphic




Square, straight aluminium lighting poles



Cylindrical, straight galvanised steel lighting poles



Square, straight galvanised steel lighting poles



Cylindrical, stepped galvanised steel lighting poles




Cylindrical, tapered, galvanised steel lighting poles




POLES ACCESSORY

Arm banner




Illuminated
Beacon-Tip






Power: 5 - 6 W
Lumen: 227 - 418 lm
RGBW




NEON ARC






Power: 12 - 15 W/m
 Lumen: 180 - 490 lm/m

 RGB
  RGBW
  TW


NEON CLASSIC






Power: 8 - 15 W/m
 Lumen: 15 - 280 lm/m

 RGB
  RGBW
  TW


NEON EDGE





Power: 12 - 15 W/m
 Lumen: 110 - 320 lm/m


 RGB
  RGBW
  TW

NEON DYNAMIC



Power: 12 - 16.5 W/m
 Lumen: 155 - 300 lm/m

 RGB, RGBW
 Dynamic programming
 TW



S
A
L
E




399⁹⁵



BERLIN




Power: 15 - 30 W
Lumen: 711 - 2106 lm



HAMBURG




Power: 27 W
Lumen: 2303 - 2435 lm



ROY



Power: 6 - 39 W
Lumen: 329 - 3415 lm



4 BUSBAR, 3 CIRCUIT



1 Meter - 4 Busbar, 3 Circuit

A80591

2 Meter - 4 Busbar, 3 Circuit

A80691

3 Meter - 4 Busbar, 3 Circuit

A80791

Accessories



Live end connector -
IRC-0231



End cap -
IRC-0232



Straight connector -
IRC-0234



Live end connector
(Left) - IRC-0431-L



Live end connector
(Right) - IRC-0431-R



End cap -
IRC-0432



Mini joiner -
IRC-0433



Mini joiner (insulation)
- IRC-0433-A



Straight connector -
IRC-0434



L Connector (Left) -
IRC-0435-L



L Connector (Right) -
IRC-0435-R



T Connector (Left) -
IRC-0436-L



T Connector (Right) -
IRC-0436-R



X Connector -
IRC-0437



Flexible connector
(Up to 90° degree) -
IRC-M435

BIBELOT

Naini
Flowers & design

CERIMONY

MALMO

Surface ceiling luminaires


DEUTSCHES HAUS (SLOVANSKÝ DŮM)

Prague, Czech Republic



SURFACE CEILING LUMINAIRES

ARDEN



Power: 15 - 189 W
Lumen: 635 - 22203 lm




O / P

BRISBANE



Power: 10 - 43 W
Lumen: 985 - 4033 lm



N


M

W

GAVLE




Power: 49 - 915 W
Lumen: 1746 - 110384 lm



O

Down & Up

MALMO



Power: 15 - 329 W
Lumen: 635 - 32117 lm



O / P

MUNSTER



Power: 21 W
Lumen: 1425 - 1676 lm



N


M

W






VW

NYBRO




Power: 11 - 184 W
 Lumen: 742 - 22401 lm


 RGBW
  TW



NYBRO JUNCTION





Power: 11 - 79 W
 Lumen: 742 - 9161 lm




OULU



Power: 12 - 108 W
 Lumen: 439 - 10920 lm

 RGBW
  TW




PIAZZA





Power: 22 - 31 W
 Lumen: 2039 - 2809 lm



PITTSFIELD




Power: 23 - 72 W
 Lumen: 1360 - 6044 lm


 RGBW
  TW



NYBRO



Power: 11 - 284 W
Lumen: 742 - 22401 lm



THE TECHMED CENTRE TWENTE
Enschede, Netherlands

© Annabel jeuring




CENTRE COMMERCIAL BLAGNAC
Sydney, New South Wales, France

NYBRO


Pendant luminaires



ARDEN




Power: 15 - 237 W
Lumen: 635 - 34913 lm



BRIGHTON




Power: 11 - 14 W
Lumen: 954 - 1358 lm




BRISBANE




Power: 10 - 43 W
Lumen: 985 - 4033 lm



GAVLE




Power: 49 - 960 W
Lumen: 1746 - 110384 lm



MALMO




Power: 15 - 396 W
Lumen: 909 - 50850 lm




MUNSTER




Power: 18 W
Lumen: 1615 - 1804 lm




NYBRO




Power: 11 - 284 W
Lumen: 742 - 22401 lm




NYBRO JUNCTION




Power: 11 - 79 W
Lumen: 742 - 9161 lm



OULU




Power: 12 - 108 W
Lumen: 439 - 10920 lm



PITTSFIELD



Power: 23 - 114 W
Lumen: 1234 - 11447 lm





MALMO

Recessed ceiling luminaires




PITTSFIELD

Pendant luminaires



MONASH UNIVERSITY
Kuala Lumpur, Malaysia

ARDEN




Power: 15 - 189 W
Lumen: 635 - 22203 lm



O / P

BRIGHTON



Power: 11 - 14 W
Lumen: 954 - 1358 lm



GAVLE



Power: 49 - 480 W
Lumen: 1746 - 54163 lm



O

MALMO



Power: 15 - 329 W
Lumen: 635 - 32117 lm




O / P

NYBRO




Power: 11 - 105 W
Lumen: 742 - 10538 lm



O / P


NYBRO JUNCTION




Power: 11 - 37 W
Lumen: 742 - 4215 lm




OULU




Power: 12 - 54 W
Lumen: 439 - 5460 lm




PITTSFIELD




Power: 23 - 72 W
Lumen: 1360 - 6044 lm



YORK



Power: 27 - 50 W
Lumen: 3300 - 5600 lm




MTR - HUNG HOM STATION
Hong Kong, China

MARYS


Recessed downlights



AMOS




Power: 9 - 39 W
Lumen: 633 - 4020 lm




BAKER




Power: 9 - 39 W
Lumen: 344 - 2271 lm




BRISBANE




Power: 10 - 43 W
Lumen: 985 - 4033 lm




HAYS




Power: 6 - 29 W
Lumen: 167 - 1788 lm




JASPER




Power: 6 - 39 W
Lumen: 349 - 3670 lm



MARYS




Power: 6 - 55 W
Lumen: 363 - 5284 lm




MUNICH




Power: 12 W
Lumen: 509 - 1038 lm




PERTH




Power: 6 - 9 W
Lumen: 522 - 943 lm



SIDNEY



Power: 6 - 12 W
Lumen: 247 - 830 lm






CEDAR




Power: 19 - 62 W
Lumen: 1660 - 7328 lm



ROCKY



Power: 9 - 29 W
Lumen: 612 - 2837 lm






LINE



Power: 4.7 - 20 W/m
Lumen: 166 - 1900 lm/m

RGB RGBW TW



PROLINE



Power: 6 - 30 W/m
Lumen: 650 - 3350 lm/m



ALUMINIUM PROFILES

RECESSED



A80027




A80028



A80029



A80030



A80042



A80045



A80046

SURFACE MOUNTED OR SUSPENDED



A80038



A80039



A80040



A80041



A80043



A80044



A80049



A80050

SURFACE OR CORNER MOUNTED



A80035



A80036




A80037



A80048

RECESSED OR SURFACE MOUNTED



A80032



A80033

RECESSED, SURFACE MOUNTED OR SUSPENDED



A80031

SURFACE MOUNTED



A80034

SURFACE MOUNTED, SUSPENDED OR WALL MOUNTED



A80047

LIGMAN Lighting Co., Ltd.

17/2 Moo 4, Monthong,
Bang Nam Prio,
24150 Chachoengsao
Thailand

Tel: +66 33 026 082

Lighting Experience Center

The LANTERN Building,
2300 Rama 9 Rd,
Suan Luang, Suan Luang,
10250 Bangkok
Thailand

Tel: +66 2 321 8211

info@ligman.com
www.ligman.com

Social



[/ligmangroup](#)

For up to date contacts, please visit:
www.ligman.com

LIGMAN is continually developing and improving its products. All details presented in this catalogue are correct at the time of printings, including the online version, and are not to be regarded as a form of contract. LIGMAN reserves the right to change any specification without prior notification.

Copyright © Ligman Lighting Co., Ltd.
All rights reserved.

Publication on: 2023/03
FM-MA-16/114
Updated: 16/01/24

LIGMAN

www.ligman.com

[!\[\]\(c507f772dba2b921f86777f01218e570_img.jpg\)](#) [!\[\]\(a75296508989caaa77a08d26cfccd4e5_img.jpg\)](#) [!\[\]\(55463e2fc8fd9dd5cdf6584182081aba_img.jpg\)](#) [!\[\]\(fef9323b6f87c1ae579afe2ce735bcc8_img.jpg\)](#) [!\[\]\(0c1e77eec6e67077ed981b817d31e302_img.jpg\)](#) [!\[\]\(cad0345a5a503c10d61eeef1b46ba453_img.jpg\)](#) [!\[\]\(13c9a4cca4d05aa6445437e916afde67_img.jpg\)](#) /ligmangroup